



*Image*

*AF*  
*1744*

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicant: Castellini, F.

) Examiner: Beisner, W.H.

Serial No.: 10/004,591

) Group Art Unit: 1744

Filed: 12/04/2001

For: APPARATUS AND METHOD FOR  
DETECTING BIOFILM IN THE WATER  
CONDUITS OF DENTAL UNITS

Attorney Docket No.: BUG 2 0150

) Cleveland, Ohio  
) April 19, 2004

**MAIL STOP AF**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**AMENDMENT AFTER FINAL**

Dear Sir:

Responsive to the final Office Action mailed November 17, 2003 and the Advisory Action mailed March 12, 2004, kindly enter the following amendments and remarks.

04/23/2004 HVUON61 00000044 10004591

02 FC:2201

86.00 DP

**CERTIFICATE OF FIRST CLASS MAILING - 37 CFR § 1.8**

I hereby certify that this correspondence is being transmitted by first class mail with sufficient postage to: Mail Stop AF, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on:

Date

*4/19/04*

Steven M. Haas

*St M. Haas*